


Eingangsdruck FGL 301 in bar (ü)



Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
01.01.2013	70,8	65,0
02.01.2013	70,8	65,0
03.01.2013	70,8	65,0
04.01.2013	70,8	65,0
05.01.2013	70,8	65,0
06.01.2013	70,8	65,0
07.01.2013	70,8	65,0
08.01.2013	70,8	65,0
09.01.2013	70,8	65,0
10.01.2013	70,9	65,0
11.01.2013	70,9	65,0
12.01.2013	70,9	65,0
13.01.2013	70,9	65,0
14.01.2013	70,9	65,0
15.01.2013	70,9	65,0
16.01.2013	70,9	65,0
17.01.2013	70,9	65,0
18.01.2013	70,9	65,0
19.01.2013	71,0	65,0
20.01.2013	70,9	65,0
21.01.2013	70,9	65,0
22.01.2013	71,0	65,0
23.01.2013	70,9	65,0
24.01.2013	71,0	65,0
25.01.2013	71,0	65,0
26.01.2013	71,0	65,0
27.01.2013	70,9	65,0
28.01.2013	70,9	65,0
29.01.2013	70,8	65,0
30.01.2013	70,8	65,0
31.01.2013	70,8	65,0
01.02.2013	70,8	65,0
02.02.2013	70,8	65,0
03.02.2013	70,8	65,0
04.02.2013	70,8	65,0
05.02.2013	70,8	65,0
06.02.2013	70,8	65,0
07.02.2013	70,9	65,0
08.02.2013	70,9	65,0
09.02.2013	70,9	65,0
10.02.2013	70,9	65,0
11.02.2013	70,9	65,0
12.02.2013	70,9	65,0
13.02.2013	70,9	65,0
14.02.2013	70,9	65,0
15.02.2013	70,9	65,0
16.02.2013	70,9	65,0
17.02.2013	70,9	65,0
18.02.2013	70,9	65,0
19.02.2013	70,8	65,0
20.02.2013	70,9	65,0
21.02.2013	70,9	65,0
22.02.2013	70,9	65,0
23.02.2013	70,9	65,0
24.02.2013	70,9	65,0
25.02.2013	70,9	65,0
26.02.2013	70,9	65,0
27.02.2013	70,9	65,0
28.02.2013	70,9	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
01.03.2013	70,9	65,0
02.03.2013	70,8	65,0
03.03.2013	70,9	65,0
04.03.2013	70,9	65,0
05.03.2013	70,9	65,0
06.03.2013	70,9	65,0
07.03.2013	70,8	65,0
08.03.2013	70,9	65,0
09.03.2013	70,9	65,0
10.03.2013	70,9	65,0
11.03.2013	70,9	65,0
12.03.2013	70,9	65,0
13.03.2013	70,9	65,0
14.03.2013	70,9	65,0
15.03.2013	71,3	65,0
16.03.2013	71,0	65,0
17.03.2013	70,9	65,0
18.03.2013	70,9	65,0
19.03.2013	70,9	65,0
20.03.2013	70,9	65,0
21.03.2013	70,9	65,0
22.03.2013	71,1	65,0
23.03.2013	71,0	65,0
24.03.2013	71,0	65,0
25.03.2013	70,9	65,0
26.03.2013	70,9	65,0
27.03.2013	70,9	65,0
28.03.2013	70,9	65,0
29.03.2013	70,9	65,0
30.03.2013	70,9	65,0
31.03.2013	70,9	65,0
01.04.2013	70,9	65,0
02.04.2013	70,9	65,0
03.04.2013	70,9	65,0
04.04.2013	70,8	65,0
05.04.2013	70,8	65,0
06.04.2013	70,9	65,0
07.04.2013	70,9	65,0
08.04.2013	70,8	65,0
09.04.2013	70,8	65,0
10.04.2013	70,8	65,0
11.04.2013	70,8	65,0
12.04.2013	70,8	65,0
13.04.2013	70,8	65,0
14.04.2013	70,8	65,0
15.04.2013	70,8	65,0
16.04.2013	70,8	65,0
17.04.2013	70,8	65,0
18.04.2013	70,8	65,0
19.04.2013	70,8	65,0
20.04.2013	70,8	65,0
21.04.2013	70,8	65,0
22.04.2013	70,8	65,0
23.04.2013	70,8	65,0
24.04.2013	70,8	65,0
25.04.2013	70,8	65,0
26.04.2013	70,8	65,0
27.04.2013	70,8	65,0
28.04.2013	70,8	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
29.04.2013	70,8	65,0
30.04.2013	70,7	65,0
01.05.2013	70,8	65,0
02.05.2013	70,8	65,0
03.05.2013	70,8	65,0
04.05.2013	70,8	65,0
05.05.2013	70,8	65,0
06.05.2013	70,7	65,0
07.05.2013	70,8	65,0
08.05.2013	70,7	65,0
09.05.2013	70,8	65,0
10.05.2013	70,8	65,0
11.05.2013	70,8	65,0
12.05.2013	70,8	65,0
13.05.2013	70,8	65,0
14.05.2013	70,8	65,0
15.05.2013	70,7	65,0
16.05.2013	70,7	65,0
17.05.2013	70,7	65,0
18.05.2013	70,8	65,0
19.05.2013	70,7	65,0
20.05.2013	70,8	65,0
21.05.2013	70,8	65,0
22.05.2013	70,8	65,0
23.05.2013	70,8	65,0
24.05.2013	70,7	65,0
25.05.2013	70,8	65,0
26.05.2013	70,7	65,0
27.05.2013	70,7	65,0
28.05.2013	70,7	65,0
29.05.2013	70,7	65,0
30.05.2013	70,7	65,0
31.05.2013	70,7	65,0
01.06.2013	70,7	65,0
02.06.2013	70,8	65,0
03.06.2013	70,7	65,0
04.06.2013	70,7	65,0
05.06.2013	70,7	65,0
06.06.2013	70,7	65,0
07.06.2013	70,7	65,0
08.06.2013	70,7	65,0
09.06.2013	70,7	65,0
10.06.2013	70,7	65,0
11.06.2013	70,8	65,0
12.06.2013	70,7	65,0
13.06.2013	70,7	65,0
14.06.2013	70,8	65,0
15.06.2013	70,7	65,0
16.06.2013	70,7	65,0
17.06.2013	70,7	65,0
18.06.2013	70,7	65,0
19.06.2013	70,6	65,0
20.06.2013	70,6	65,0
21.06.2013	70,7	65,0
22.06.2013	70,7	65,0
23.06.2013	70,7	65,0
24.06.2013	68,4	65,0
25.06.2013	66,7	65,0
26.06.2013	67,0	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
27.06.2013	66,0	65,0
28.06.2013	64,7	65,0
29.06.2013	59,8	65,0
30.06.2013	59,8	65,0
01.07.2013	63,0	65,0
02.07.2013	64,6	65,0
03.07.2013	64,6	65,0
04.07.2013	67,5	65,0
05.07.2013	67,6	65,0
06.07.2013	67,6	65,0
07.07.2013	67,6	65,0
08.07.2013	67,6	65,0
09.07.2013	67,6	65,0
10.07.2013	67,6	65,0
11.07.2013	67,7	65,0
12.07.2013	67,7	65,0
13.07.2013	67,6	65,0
14.07.2013	67,6	65,0
15.07.2013	67,7	65,0
16.07.2013	68,5	65,0
17.07.2013	68,7	65,0
18.07.2013	68,7	65,0
19.07.2013	68,7	65,0
20.07.2013	68,7	65,0
21.07.2013	68,7	65,0
22.07.2013	68,7	65,0
23.07.2013	68,7	65,0
24.07.2013	68,7	65,0
25.07.2013	68,7	65,0
26.07.2013	68,6	65,0
27.07.2013	68,6	65,0
28.07.2013	68,6	65,0
29.07.2013	68,6	65,0
30.07.2013	68,7	65,0
31.07.2013	68,7	65,0
01.08.2013	68,7	65,0
02.08.2013	68,6	65,0
03.08.2013	68,7	65,0
04.08.2013	68,7	65,0
05.08.2013	68,7	65,0
06.08.2013	68,7	65,0
07.08.2013	68,6	65,0
08.08.2013	68,7	65,0
09.08.2013	68,8	65,0
10.08.2013	68,8	65,0
11.08.2013	68,8	65,0
12.08.2013	68,8	65,0
13.08.2013	68,9	65,0
14.08.2013	68,9	65,0
15.08.2013	68,8	65,0
16.08.2013	68,8	65,0
17.08.2013	68,8	65,0
18.08.2013	68,8	65,0
19.08.2013	68,8	65,0
20.08.2013	68,9	65,0
21.08.2013	68,9	65,0
22.08.2013	68,1	65,0
23.08.2013	68,8	65,0
24.08.2013	68,8	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
25.08.2013	68,8	65,0
26.08.2013	68,8	65,0
27.08.2013	60,1	65,0
28.08.2013	59,9	65,0
29.08.2013	68,0	65,0
30.08.2013	67,9	65,0
31.08.2013	66,3	65,0
01.09.2013	63,2	65,0
02.09.2013	63,3	65,0
03.09.2013	63,2	65,0
04.09.2013	68,8	65,0
05.09.2013	68,8	65,0
06.09.2013	68,8	65,0
07.09.2013	68,8	65,0
08.09.2013	68,8	65,0
09.09.2013	68,5	65,0
10.09.2013	68,4	65,0
11.09.2013	68,7	65,0
12.09.2013	68,8	65,0
13.09.2013	68,8	65,0
14.09.2013	68,8	65,0
15.09.2013	68,8	65,0
16.09.2013	68,8	65,0
17.09.2013	68,9	65,0
18.09.2013	68,7	65,0
19.09.2013	68,8	65,0
20.09.2013	68,7	65,0
21.09.2013	68,8	65,0
22.09.2013	68,5	65,0
23.09.2013	67,9	65,0
24.09.2013	68,8	65,0
25.09.2013	68,8	65,0
26.09.2013	68,8	65,0
27.09.2013	68,7	65,0
28.09.2013	68,9	65,0
29.09.2013	68,9	65,0
30.09.2013	68,9	65,0
01.10.2013	68,9	65,0
02.10.2013	68,9	65,0
03.10.2013	68,9	65,0
04.10.2013	71,0	65,0
05.10.2013	69,0	65,0
06.10.2013	68,9	65,0
07.10.2013	68,8	65,0
08.10.2013	68,8	65,0
09.10.2013	68,8	65,0
10.10.2013	68,9	65,0
11.10.2013	68,8	65,0
12.10.2013	68,9	65,0
13.10.2013	68,9	65,0
14.10.2013	68,9	65,0
15.10.2013	68,9	65,0
16.10.2013	68,9	65,0
17.10.2013	68,9	65,0
18.10.2013	68,9	65,0
19.10.2013	68,9	65,0
20.10.2013	68,9	65,0
21.10.2013	68,8	65,0
22.10.2013	68,8	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
23.10.2013	68,8	65,0
24.10.2013	68,9	65,0
25.10.2013	68,8	65,0
26.10.2013	68,8	65,0
27.10.2013	68,9	65,0
28.10.2013	68,7	65,0
29.10.2013	68,8	65,0
30.10.2013	68,9	65,0
31.10.2013	69,0	65,0
01.11.2013	68,8	65,0
02.11.2013	68,8	65,0
03.11.2013	68,8	65,0
04.11.2013	68,8	65,0
05.11.2013	68,9	65,0
06.11.2013	68,9	65,0
07.11.2013	68,8	65,0
08.11.2013	68,9	65,0
09.11.2013	68,9	65,0
10.11.2013	68,9	65,0
11.11.2013	68,9	65,0
12.11.2013	66,5	65,0
13.11.2013	63,5	65,0
14.11.2013	63,3	65,0
15.11.2013	63,9	65,0
16.11.2013	63,7	65,0
17.11.2013	66,6	65,0
18.11.2013	66,8	65,0
19.11.2013	66,8	65,0
20.11.2013	66,9	65,0
21.11.2013	66,9	65,0
22.11.2013	66,9	65,0
23.11.2013	66,9	65,0
24.11.2013	67,0	65,0
25.11.2013	67,0	65,0
26.11.2013	66,9	65,0
27.11.2013	66,7	65,0
28.11.2013	66,9	65,0
29.11.2013	66,9	65,0
30.11.2013	67,0	65,0
01.12.2013	67,0	65,0
02.12.2013	67,0	65,0
03.12.2013	66,6	65,0
04.12.2013	67,0	65,0
05.12.2013	66,9	65,0
06.12.2013	66,9	65,0
07.12.2013	67,0	65,0
08.12.2013	66,9	65,0
09.12.2013	66,9	65,0
10.12.2013	66,9	65,0
11.12.2013	66,9	65,0
12.12.2013	66,9	65,0
13.12.2013	66,9	65,0
14.12.2013	66,9	65,0
15.12.2013	67,0	65,0
16.12.2013	66,9	65,0
17.12.2013	66,9	65,0
18.12.2013	66,9	65,0
19.12.2013	66,9	65,0
20.12.2013	67,0	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
21.12.2013	66,9	65,0
22.12.2013	66,8	65,0
23.12.2013	66,9	65,0
24.12.2013	66,8	65,0
25.12.2013	66,8	65,0
26.12.2013	66,8	65,0
27.12.2013	66,8	65,0
28.12.2013	66,8	65,0
29.12.2013	66,9	65,0
30.12.2013	66,9	65,0
31.12.2013	66,9	65,0
01.01.2014	66,9	65,0
02.01.2014	66,8	65,0
03.01.2014	66,8	65,0
04.01.2014	66,9	65,0
05.01.2014	66,9	65,0
06.01.2014	66,9	65,0
07.01.2014	66,8	65,0
08.01.2014	67,0	65,0
09.01.2014	66,8	65,0
10.01.2014	66,8	65,0
11.01.2014	67,8	65,0
12.01.2014	68,9	65,0
13.01.2014	68,9	65,0
14.01.2014	68,9	65,0
15.01.2014	68,9	65,0
16.01.2014	68,9	65,0
17.01.2014	68,8	65,0
18.01.2014	68,9	65,0
19.01.2014	68,9	65,0
20.01.2014	68,5	65,0
21.01.2014	68,7	65,0
22.01.2014	68,7	65,0
23.01.2014	68,9	65,0
24.01.2014	69,0	65,0
25.01.2014	69,1	65,0
26.01.2014	69,1	65,0
27.01.2014	69,0	65,0
28.01.2014	69,0	65,0
29.01.2014	69,0	65,0
30.01.2014	69,0	65,0
31.01.2014	69,0	65,0
01.02.2014	68,9	65,0
02.02.2014	68,9	65,0
03.02.2014	68,9	65,0
04.02.2014	68,9	65,0
05.02.2014	68,9	65,0
06.02.2014	68,9	65,0
07.02.2014	68,9	65,0
08.02.2014	68,9	65,0
09.02.2014	68,9	65,0
10.02.2014	68,9	65,0
11.02.2014	68,9	65,0
12.02.2014	69,0	65,0
13.02.2014	68,9	65,0
14.02.2014	68,9	65,0
15.02.2014	68,9	65,0
16.02.2014	68,9	65,0
17.02.2014	68,9	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
18.02.2014	69,0	65,0
19.02.2014	68,9	65,0
20.02.2014	68,9	65,0
21.02.2014	68,8	65,0
22.02.2014	68,9	65,0
23.02.2014	69,0	65,0
24.02.2014	68,9	65,0
25.02.2014	68,7	65,0
26.02.2014	68,9	65,0
27.02.2014	68,9	65,0
28.02.2014	68,7	65,0
01.03.2014	68,9	65,0
02.03.2014	68,9	65,0
03.03.2014	68,9	65,0
04.03.2014	68,9	65,0
05.03.2014	68,9	65,0
06.03.2014	68,7	65,0
07.03.2014	68,9	65,0
08.03.2014	68,7	65,0
09.03.2014	68,9	65,0
10.03.2014	68,9	65,0
11.03.2014	68,9	65,0
12.03.2014	68,9	65,0
13.03.2014	68,9	65,0
14.03.2014	68,9	65,0
15.03.2014	68,9	65,0
16.03.2014	68,9	65,0
17.03.2014	68,9	65,0
18.03.2014	68,8	65,0
19.03.2014	68,9	65,0
20.03.2014	68,9	65,0
21.03.2014	68,8	65,0
22.03.2014	68,9	65,0
23.03.2014	68,9	65,0
24.03.2014	68,9	65,0
25.03.2014	68,9	65,0
26.03.2014	68,9	65,0
27.03.2014	68,9	65,0
28.03.2014	68,9	65,0
29.03.2014	68,8	65,0
30.03.2014	68,8	65,0
31.03.2014	68,8	65,0
01.04.2014	68,7	65,0
02.04.2014	68,5	65,0
03.04.2014	68,8	65,0
04.04.2014	68,8	65,0
05.04.2014	68,8	65,0
06.04.2014	68,8	65,0
07.04.2014	68,8	65,0
08.04.2014	68,8	65,0
09.04.2014	68,8	65,0
10.04.2014	68,8	65,0
11.04.2014	68,8	65,0
12.04.2014	68,8	65,0
13.04.2014	68,8	65,0
14.04.2014	68,8	65,0
15.04.2014	68,9	65,0
16.04.2014	68,9	65,0
17.04.2014	68,8	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
18.04.2014	68,9	65,0
19.04.2014	68,8	65,0
20.04.2014	68,8	65,0
21.04.2014	68,8	65,0
22.04.2014	68,8	65,0
23.04.2014	68,8	65,0
24.04.2014	68,7	65,0
25.04.2014	70,1	65,0
26.04.2014	70,5	65,0
27.04.2014	70,7	65,0
28.04.2014	70,7	65,0
29.04.2014	70,6	65,0
30.04.2014	70,8	65,0
01.05.2014	70,8	65,0
02.05.2014	70,6	65,0
03.05.2014	70,8	65,0
04.05.2014	70,8	65,0
05.05.2014	70,6	65,0
06.05.2014	70,7	65,0
07.05.2014	70,8	65,0
08.05.2014	70,7	65,0
09.05.2014	70,7	65,0
10.05.2014	70,8	65,0
11.05.2014	70,8	65,0
12.05.2014	70,8	65,0
13.05.2014	70,8	65,0
14.05.2014	70,8	65,0
15.05.2014	70,8	65,0
16.05.2014	70,7	65,0
17.05.2014	70,7	65,0
18.05.2014	70,6	65,0
19.05.2014	70,7	65,0
20.05.2014	70,7	65,0
21.05.2014	70,7	65,0
22.05.2014	70,7	65,0
23.05.2014	70,7	65,0
24.05.2014	70,8	65,0
25.05.2014	70,8	65,0
26.05.2014	70,7	65,0
27.05.2014	70,8	65,0
28.05.2014	70,8	65,0
29.05.2014	70,8	65,0
30.05.2014	70,8	65,0
31.05.2014	71,7	65,0
01.06.2014	71,8	65,0
02.06.2014	71,7	65,0
03.06.2014	71,7	65,0
04.06.2014	71,6	65,0
05.06.2014	71,5	65,0
06.06.2014	71,7	65,0
07.06.2014	71,5	65,0
08.06.2014	71,6	65,0
09.06.2014	71,7	65,0
10.06.2014	71,7	65,0
11.06.2014	71,7	65,0
12.06.2014	71,7	65,0
13.06.2014	71,8	65,0
14.06.2014	71,8	65,0
15.06.2014	71,8	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
16.06.2014	71,8	65,0
17.06.2014	71,7	65,0
18.06.2014	71,7	65,0
19.06.2014	71,7	65,0
20.06.2014	71,7	65,0
21.06.2014	71,8	65,0
22.06.2014	71,8	65,0
23.06.2014	71,8	65,0
24.06.2014	71,8	65,0
25.06.2014	71,8	65,0
26.06.2014	71,8	65,0
27.06.2014	71,8	65,0
28.06.2014	71,8	65,0
29.06.2014	71,8	65,0
30.06.2014	71,8	65,0
01.07.2014	71,8	65,0
02.07.2014	71,8	65,0
03.07.2014	71,8	65,0
04.07.2014	71,7	65,0
05.07.2014	71,7	65,0
06.07.2014	71,7	65,0
07.07.2014	71,7	65,0
08.07.2014	71,7	65,0
09.07.2014	71,7	65,0
10.07.2014	71,7	65,0
11.07.2014	71,8	65,0
12.07.2014	71,8	65,0
13.07.2014	71,8	65,0
14.07.2014	71,7	65,0
15.07.2014	71,8	65,0
16.07.2014	71,7	65,0
17.07.2014	71,7	65,0
18.07.2014	71,7	65,0
19.07.2014	71,7	65,0
20.07.2014	71,6	65,0
21.07.2014	71,6	65,0
22.07.2014	71,7	65,0
23.07.2014	71,7	65,0
24.07.2014	71,8	65,0
25.07.2014	71,8	65,0
26.07.2014	71,5	65,0
27.07.2014	71,7	65,0
28.07.2014	71,6	65,0
29.07.2014	71,7	65,0
30.07.2014	71,8	65,0
31.07.2014	71,7	65,0
01.08.2014	71,7	65,0
02.08.2014	71,5	65,0
03.08.2014	71,6	65,0
04.08.2014	71,6	65,0
05.08.2014	71,8	65,0
06.08.2014	71,7	65,0
07.08.2014	71,6	65,0
08.08.2014	71,8	65,0
09.08.2014	71,5	65,0
10.08.2014	71,5	65,0
11.08.2014	71,7	65,0
12.08.2014	72,0	65,0
13.08.2014	72,1	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
14.08.2014	72,1	65,0
15.08.2014	72,0	65,0
16.08.2014	72,1	65,0
17.08.2014	72,0	65,0
18.08.2014	72,0	65,0
19.08.2014	72,0	65,0
20.08.2014	72,0	65,0
21.08.2014	72,0	65,0
22.08.2014	72,0	65,0
23.08.2014	72,0	65,0
24.08.2014	72,0	65,0
25.08.2014	71,3	65,0
26.08.2014	70,9	65,0
27.08.2014	72,9	65,0
28.08.2014	76,0	65,0
29.08.2014	73,6	65,0
30.08.2014	73,5	65,0
31.08.2014	73,5	65,0
01.09.2014	73,7	65,0
02.09.2014	73,7	65,0
03.09.2014	73,7	65,0
04.09.2014	73,7	65,0
05.09.2014	73,7	65,0
06.09.2014	73,5	65,0
07.09.2014	73,5	65,0
08.09.2014	73,6	65,0
09.09.2014	73,7	65,0
10.09.2014	73,6	65,0
11.09.2014	73,6	65,0
12.09.2014	73,7	65,0
13.09.2014	73,7	65,0
14.09.2014	73,7	65,0
15.09.2014	73,7	65,0
16.09.2014	73,8	65,0
17.09.2014	73,8	65,0
18.09.2014	73,8	65,0
19.09.2014	73,8	65,0
20.09.2014	73,7	65,0
21.09.2014	73,8	65,0
22.09.2014	73,8	65,0
23.09.2014	73,8	65,0
24.09.2014	73,8	65,0
25.09.2014	73,7	65,0
26.09.2014	73,7	65,0
27.09.2014	73,8	65,0
28.09.2014	73,8	65,0
29.09.2014	73,8	65,0
30.09.2014	74,0	65,0
01.10.2014	73,8	65,0
02.10.2014	73,8	65,0
03.10.2014	73,8	65,0
04.10.2014	73,8	65,0
05.10.2014	73,8	65,0
06.10.2014	73,8	65,0
07.10.2014	73,8	65,0
08.10.2014	73,8	65,0
09.10.2014	73,7	65,0
10.10.2014	73,7	65,0
11.10.2014	73,7	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
12.10.2014	73,8	65,0
13.10.2014	73,7	65,0
14.10.2014	73,7	65,0
15.10.2014	73,7	65,0
16.10.2014	73,7	65,0
17.10.2014	73,7	65,0
18.10.2014	73,8	65,0
19.10.2014	73,7	65,0
20.10.2014	73,7	65,0
21.10.2014	73,7	65,0
22.10.2014	73,7	65,0
23.10.2014	73,7	65,0
24.10.2014	73,8	65,0
25.10.2014	73,8	65,0
26.10.2014	73,8	65,0
27.10.2014	73,8	65,0
28.10.2014	73,8	65,0
29.10.2014	73,8	65,0
30.10.2014	73,8	65,0
31.10.2014	73,7	65,0
01.11.2014	73,7	65,0
02.11.2014	73,6	65,0
03.11.2014	73,7	65,0
04.11.2014	73,7	65,0
05.11.2014	73,7	65,0
06.11.2014	73,7	65,0
07.11.2014	73,7	65,0
08.11.2014	73,8	65,0
09.11.2014	73,8	65,0
10.11.2014	73,7	65,0
11.11.2014	73,7	65,0
12.11.2014	73,6	65,0
13.11.2014	73,7	65,0
14.11.2014	73,7	65,0
15.11.2014	73,7	65,0
16.11.2014	73,7	65,0
17.11.2014	73,7	65,0
18.11.2014	73,6	65,0
19.11.2014	73,7	65,0
20.11.2014	73,7	65,0
21.11.2014	73,8	65,0
22.11.2014	73,8	65,0
23.11.2014	73,8	65,0
24.11.2014	73,8	65,0
25.11.2014	73,8	65,0
26.11.2014	73,8	65,0
27.11.2014	73,7	65,0
28.11.2014	73,8	65,0
29.11.2014	73,6	65,0
30.11.2014	73,6	65,0
01.12.2014	73,9	65,0
02.12.2014	73,9	65,0
03.12.2014	73,9	65,0
04.12.2014	73,9	65,0
05.12.2014	73,9	65,0
06.12.2014	73,9	65,0
07.12.2014	73,8	65,0
08.12.2014	73,8	65,0
09.12.2014	73,9	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
10.12.2014	73,9	65,0
11.12.2014	73,9	65,0
12.12.2014	73,8	65,0
13.12.2014	73,8	65,0
14.12.2014	73,8	65,0
15.12.2014	73,8	65,0
16.12.2014	73,8	65,0
17.12.2014	73,8	65,0
18.12.2014	73,7	65,0
19.12.2014	73,7	65,0
20.12.2014	73,8	65,0
21.12.2014	73,8	65,0
22.12.2014	73,7	65,0
23.12.2014	73,7	65,0
24.12.2014	73,8	65,0
25.12.2014	73,8	65,0
26.12.2014	73,9	65,0
27.12.2014	73,9	65,0
28.12.2014	73,7	65,0
29.12.2014	73,9	65,0
30.12.2014	73,9	65,0
31.12.2014	73,9	65,0
01.01.2015	73,7	65,0
02.01.2015	73,6	65,0
03.01.2015	73,8	65,0
04.01.2015	73,8	65,0
05.01.2015	73,8	65,0
06.01.2015	73,9	65,0
07.01.2015	73,9	65,0
08.01.2015	73,8	65,0
09.01.2015	73,8	65,0
10.01.2015	73,8	65,0
11.01.2015	73,8	65,0
12.01.2015	73,8	65,0
13.01.2015	73,8	65,0
14.01.2015	73,9	65,0
15.01.2015	73,8	65,0
16.01.2015	73,8	65,0
17.01.2015	73,9	65,0
18.01.2015	73,9	65,0
19.01.2015	73,8	65,0
20.01.2015	73,9	65,0
21.01.2015	73,9	65,0
22.01.2015	73,9	65,0
23.01.2015	73,9	65,0
24.01.2015	73,9	65,0
25.01.2015	73,9	65,0
26.01.2015	73,9	65,0
27.01.2015	73,9	65,0
28.01.2015	73,8	65,0
29.01.2015	73,8	65,0
30.01.2015	73,9	65,0
31.01.2015	73,9	65,0
01.02.2015	73,9	65,0
02.02.2015	73,9	65,0
03.02.2015	73,9	65,0
04.02.2015	73,9	65,0
05.02.2015	73,9	65,0
06.02.2015	73,9	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
07.02.2015	73,9	65,0
08.02.2015	73,9	65,0
09.02.2015	73,7	65,0
10.02.2015	73,6	65,0
11.02.2015	73,8	65,0
12.02.2015	73,7	65,0
13.02.2015	73,8	65,0
14.02.2015	73,9	65,0
15.02.2015	73,9	65,0
16.02.2015	73,9	65,0
17.02.2015	73,9	65,0
18.02.2015	73,9	65,0
19.02.2015	73,9	65,0
20.02.2015	73,8	65,0
21.02.2015	73,8	65,0
22.02.2015	73,9	65,0
23.02.2015	73,8	65,0
24.02.2015	73,8	65,0
25.02.2015	73,9	65,0
26.02.2015	73,7	65,0
27.02.2015	73,8	65,0
28.02.2015	73,9	65,0
01.03.2015	73,8	65,0
02.03.2015	73,8	65,0
03.03.2015	73,8	65,0
04.03.2015	73,8	65,0
05.03.2015	73,9	65,0
06.03.2015	73,6	65,0
07.03.2015	73,7	65,0
08.03.2015	73,6	65,0
09.03.2015	73,6	65,0
10.03.2015	73,8	65,0
11.03.2015	73,9	65,0
12.03.2015	73,9	65,0
13.03.2015	73,8	65,0
14.03.2015	73,8	65,0
15.03.2015	73,8	65,0
16.03.2015	73,8	65,0
17.03.2015	73,7	65,0
18.03.2015	73,9	65,0
19.03.2015	73,9	65,0
20.03.2015	73,9	65,0
21.03.2015	73,9	65,0
22.03.2015	73,9	65,0
23.03.2015	73,9	65,0
24.03.2015	73,9	65,0
25.03.2015	73,8	65,0
26.03.2015	73,8	65,0
27.03.2015	73,8	65,0
28.03.2015	73,8	65,0
29.03.2015	73,6	65,0
30.03.2015	73,8	65,0
31.03.2015	73,8	65,0
01.04.2015	73,9	65,0
02.04.2015	73,8	65,0
03.04.2015	73,9	65,0
04.04.2015	73,9	65,0
05.04.2015	73,8	65,0
06.04.2015	73,8	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
07.04.2015	73,8	65,0
08.04.2015	73,7	65,0
09.04.2015	73,8	65,0
10.04.2015	73,7	65,0
11.04.2015	73,7	65,0
12.04.2015	73,8	65,0
13.04.2015	73,8	65,0
14.04.2015	73,8	65,0
15.04.2015	73,8	65,0
16.04.2015	73,8	65,0
17.04.2015	73,8	65,0
18.04.2015	73,9	65,0
19.04.2015	73,9	65,0
20.04.2015	73,8	65,0
21.04.2015	73,7	65,0
22.04.2015	73,8	65,0
23.04.2015	73,8	65,0
24.04.2015	73,8	65,0
25.04.2015	73,8	65,0
26.04.2015	73,8	65,0
27.04.2015	73,8	65,0
28.04.2015	73,8	65,0
29.04.2015	73,9	65,0
30.04.2015	73,8	65,0
01.05.2015	73,9	65,0
02.05.2015	73,9	65,0
03.05.2015	73,8	65,0
04.05.2015	73,8	65,0
05.05.2015	73,8	65,0
06.05.2015	73,8	65,0
07.05.2015	73,8	65,0
08.05.2015	73,8	65,0
09.05.2015	73,8	65,0
10.05.2015	73,9	65,0
11.05.2015	73,8	65,0
12.05.2015	73,8	65,0
13.05.2015	73,8	65,0
14.05.2015	73,9	65,0
15.05.2015	73,9	65,0
16.05.2015	73,9	65,0
17.05.2015	73,9	65,0
18.05.2015	73,8	65,0
19.05.2015	73,8	65,0
20.05.2015	73,8	65,0
21.05.2015	73,8	65,0
22.05.2015	73,8	65,0
23.05.2015	73,8	65,0
24.05.2015	73,8	65,0
25.05.2015	73,8	65,0
26.05.2015	73,8	65,0
27.05.2015	73,8	65,0
28.05.2015	73,8	65,0
29.05.2015	73,8	65,0
30.05.2015	73,8	65,0
31.05.2015	73,8	65,0
01.06.2015	73,8	65,0
02.06.2015	73,7	65,0
03.06.2015	73,4	65,0
04.06.2015	73,4	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
05.06.2015	73,3	65,0
06.06.2015	73,0	65,0
07.06.2015	73,1	65,0
08.06.2015	73,4	65,0
09.06.2015	73,5	65,0
10.06.2015	73,6	65,0
11.06.2015	73,6	65,0
12.06.2015	73,3	65,0
13.06.2015	73,2	65,0
14.06.2015	73,2	65,0
15.06.2015	73,8	65,0
16.06.2015	73,6	65,0
17.06.2015	73,7	65,0
18.06.2015	73,7	65,0
19.06.2015	73,6	65,0
20.06.2015	73,4	65,0
21.06.2015	73,3	65,0
22.06.2015	73,4	65,0
23.06.2015	73,5	65,0
24.06.2015	73,7	65,0
25.06.2015	73,5	65,0
26.06.2015	73,5	65,0
27.06.2015	73,4	65,0
28.06.2015	73,4	65,0
29.06.2015	73,4	65,0
30.06.2015	73,6	65,0
01.07.2015	73,7	65,0
02.07.2015	73,6	65,0
03.07.2015	73,6	65,0
04.07.2015	73,7	65,0
05.07.2015	73,7	65,0
06.07.2015	73,8	65,0
07.07.2015	73,5	65,0
08.07.2015	73,8	65,0
09.07.2015	73,7	65,0
10.07.2015	73,7	65,0
11.07.2015	73,8	65,0
12.07.2015	72,5	65,0
13.07.2015	72,4	65,0
14.07.2015	72,5	65,0
15.07.2015	72,6	65,0
16.07.2015	72,4	65,0
17.07.2015	72,4	65,0
18.07.2015	72,7	65,0
19.07.2015	72,6	65,0
20.07.2015	72,8	65,0
21.07.2015	72,6	65,0
22.07.2015	72,7	65,0
23.07.2015	72,8	65,0
24.07.2015	72,8	65,0
25.07.2015	72,7	65,0
26.07.2015	72,8	65,0
27.07.2015	72,7	65,0
28.07.2015	72,7	65,0
29.07.2015	72,8	65,0
30.07.2015	72,8	65,0
31.07.2015	72,8	65,0
01.08.2015	72,6	65,0
02.08.2015	72,6	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
03.08.2015	72,8	65,0
04.08.2015	72,8	65,0
05.08.2015	72,8	65,0
06.08.2015	72,5	65,0
07.08.2015	72,6	65,0
08.08.2015	72,6	65,0
09.08.2015	72,7	65,0
10.08.2015	72,7	65,0
11.08.2015	72,1	65,0
12.08.2015	71,8	65,0
13.08.2015	71,8	65,0
14.08.2015	71,8	65,0
15.08.2015	71,8	65,0
16.08.2015	71,8	65,0
17.08.2015	71,8	65,0
18.08.2015	71,9	65,0
19.08.2015	71,8	65,0
20.08.2015	71,7	65,0
21.08.2015	71,6	65,0
22.08.2015	71,7	65,0
23.08.2015	71,8	65,0
24.08.2015	71,7	65,0
25.08.2015	71,8	65,0
26.08.2015	73,0	65,0
27.08.2015	71,8	65,0
28.08.2015	71,5	65,0
29.08.2015	71,8	65,0
30.08.2015	71,5	65,0
31.08.2015	71,7	65,0
01.09.2015	71,7	65,0
02.09.2015	71,8	65,0
03.09.2015	71,7	65,0
04.09.2015	71,8	65,0
05.09.2015	71,9	65,0
06.09.2015	71,8	65,0
07.09.2015	71,8	65,0
08.09.2015	71,8	65,0
09.09.2015	71,8	65,0
10.09.2015	71,8	65,0
11.09.2015	71,5	65,0
12.09.2015	71,5	65,0
13.09.2015	71,4	65,0
14.09.2015	71,6	65,0
15.09.2015	71,7	65,0
16.09.2015	71,8	65,0
17.09.2015	71,6	65,0
18.09.2015	71,8	65,0
19.09.2015	71,8	65,0
20.09.2015	71,8	65,0
21.09.2015	71,7	65,0
22.09.2015	71,7	65,0
23.09.2015	71,8	65,0
24.09.2015	71,8	65,0
25.09.2015	71,9	65,0
26.09.2015	71,9	65,0
27.09.2015	71,9	65,0
28.09.2015	71,9	65,0
29.09.2015	71,9	65,0
30.09.2015	71,9	65,0
01.10.2015	71,8	65,0
02.10.2015	71,7	65,0
03.10.2015	71,8	65,0
04.10.2015	71,8	65,0
05.10.2015	71,8	65,0
06.10.2015	71,8	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
07.10.2015	71,8	65,0
08.10.2015	71,9	65,0
09.10.2015	71,9	65,0
10.10.2015	71,9	65,0
11.10.2015	71,9	65,0
12.10.2015	71,8	65,0
13.10.2015	71,8	65,0
14.10.2015	71,6	65,0
15.10.2015	71,9	65,0
16.10.2015	71,9	65,0
17.10.2015	71,9	65,0
18.10.2015	71,8	65,0
19.10.2015	71,6	65,0
20.10.2015	71,8	65,0
21.10.2015	71,8	65,0
22.10.2015	71,5	65,0
23.10.2015	71,6	65,0
24.10.2015	71,7	65,0
25.10.2015	71,7	65,0
26.10.2015	71,6	65,0
27.10.2015	71,7	65,0
28.10.2015	71,8	65,0
29.10.2015	71,8	65,0
30.10.2015	71,7	65,0
31.10.2015	71,6	65,0
01.11.2015	71,8	65,0
02.11.2015	71,8	65,0
03.11.2015	71,8	65,0
04.11.2015	71,8	65,0
05.11.2015	71,8	65,0
06.11.2015	71,7	65,0
07.11.2015	71,6	65,0
08.11.2015	71,7	65,0
09.11.2015	71,5	65,0
10.11.2015	71,7	65,0
11.11.2015	71,7	65,0
12.11.2015	71,8	65,0
13.11.2015	71,7	65,0
14.11.2015	71,7	65,0
15.11.2015	71,7	65,0
16.11.2015	71,6	65,0
17.11.2015	71,6	65,0
18.11.2015	71,7	65,0
19.11.2015	71,6	65,0
20.11.2015	71,7	65,0
21.11.2015	71,7	65,0
22.11.2015	71,8	65,0
23.11.2015	71,8	65,0
24.11.2015	71,8	65,0
25.11.2015	71,8	65,0
26.11.2015	71,6	65,0
27.11.2015	71,6	65,0
28.11.2015	71,5	65,0
29.11.2015	71,5	65,0
30.11.2015	71,5	65,0
01.12.2015	71,6	65,0
02.12.2015	71,5	65,0
03.12.2015	71,5	65,0
04.12.2015	71,5	65,0
05.12.2015	71,7	65,0
06.12.2015	71,7	65,0
07.12.2015	71,7	65,0
08.12.2015	71,7	65,0
09.12.2015	71,7	65,0
10.12.2015	71,8	65,0
11.12.2015	71,8	65,0
12.12.2015	71,8	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
13.12.2015	71,8	65,0
14.12.2015	71,6	65,0
15.12.2015	71,6	65,0
16.12.2015	71,6	65,0
17.12.2015	71,5	65,0
18.12.2015	71,5	65,0
19.12.2015	71,5	65,0
20.12.2015	71,5	65,0
21.12.2015	71,5	65,0
22.12.2015	71,5	65,0
23.12.2015	71,7	65,0
24.12.2015	71,8	65,0
25.12.2015	71,8	65,0
26.12.2015	71,6	65,0
27.12.2015	71,5	65,0
28.12.2015	71,6	65,0
29.12.2015	71,8	65,0
30.12.2015	71,8	65,0
31.12.2015	71,8	65,0
01.01.2016	71,9	65,0
02.01.2016	71,7	65,0
03.01.2016	71,9	65,0
04.01.2016	71,8	65,0
05.01.2016	71,7	65,0
06.01.2016	71,8	65,0
07.01.2016	71,6	65,0
08.01.2016	71,8	65,0
09.01.2016	71,6	65,0
10.01.2016	71,6	65,0
11.01.2016	71,5	65,0
12.01.2016	71,6	65,0
13.01.2016	71,6	65,0
14.01.2016	71,7	65,0
15.01.2016	71,6	65,0
16.01.2016	71,5	65,0
17.01.2016	71,5	65,0
18.01.2016	71,7	65,0
19.01.2016	71,7	65,0
20.01.2016	72,0	65,0
21.01.2016	71,7	65,0
22.01.2016	71,7	65,0
23.01.2016	71,5	65,0
24.01.2016	71,5	65,0
25.01.2016	71,6	65,0
26.01.2016	71,6	65,0
27.01.2016	71,5	65,0
28.01.2016	71,5	65,0
29.01.2016	71,4	65,0
30.01.2016	71,5	65,0
31.01.2016	71,5	65,0
01.02.2016	71,5	65,0
02.02.2016	71,5	65,0
03.02.2016	71,5	65,0
04.02.2016	71,6	65,0
05.02.2016	71,9	65,0
06.02.2016	71,9	65,0
07.02.2016	71,8	65,0
08.02.2016	71,8	65,0
09.02.2016	71,6	65,0
10.02.2016	71,5	65,0
11.02.2016	71,5	65,0
12.02.2016	71,7	65,0
13.02.2016	71,9	65,0
14.02.2016	71,7	65,0
15.02.2016	71,8	65,0
16.02.2016	71,7	65,0
17.02.2016	71,6	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
18.02.2016	71,5	65,0
19.02.2016	71,5	65,0
20.02.2016	71,5	65,0
21.02.2016	71,8	65,0
22.02.2016	71,6	65,0
23.02.2016	71,5	65,0
24.02.2016	71,6	65,0
25.02.2016	71,5	65,0
26.02.2016	71,7	65,0
27.02.2016	71,7	65,0
28.02.2016	71,6	65,0
29.02.2016	71,5	65,0
01.03.2016	71,6	65,0
02.03.2016	71,7	65,0
03.03.2016	71,6	65,0
04.03.2016	71,5	65,0
05.03.2016	71,5	65,0
06.03.2016	71,6	65,0
07.03.2016	71,8	65,0
08.03.2016	71,6	65,0
09.03.2016	71,5	65,0
10.03.2016	71,5	65,0
11.03.2016	71,5	65,0
12.03.2016	71,8	65,0
13.03.2016	71,8	65,0
14.03.2016	71,6	65,0
15.03.2016	71,6	65,0
16.03.2016	71,6	65,0
17.03.2016	71,8	65,0
18.03.2016	71,6	65,0
19.03.2016	71,6	65,0
20.03.2016	71,6	65,0
21.03.2016	71,5	65,0
22.03.2016	71,8	65,0
23.03.2016	71,6	65,0
24.03.2016	71,5	65,0
25.03.2016	71,5	65,0
26.03.2016	71,5	65,0
27.03.2016	71,5	65,0
28.03.2016	71,5	65,0
29.03.2016	71,5	65,0
30.03.2016	71,5	65,0
31.03.2016	71,5	65,0
01.04.2016	71,6	65,0
02.04.2016	71,6	65,0
03.04.2016	71,6	65,0
04.04.2016	71,5	65,0
05.04.2016	71,5	65,0
06.04.2016	71,5	65,0
07.04.2016	71,6	65,0
08.04.2016	71,6	65,0
09.04.2016	71,8	65,0
10.04.2016	71,8	65,0
11.04.2016	71,5	65,0
12.04.2016	71,8	65,0
13.04.2016	71,8	65,0
14.04.2016	71,7	65,0
15.04.2016	71,5	65,0
16.04.2016	71,7	65,0
17.04.2016	71,5	65,0
18.04.2016	71,5	65,0
19.04.2016	71,8	65,0
20.04.2016	71,7	65,0
21.04.2016	71,8	65,0
22.04.2016	71,8	65,0
23.04.2016	71,9	65,0
24.04.2016	71,6	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
25.04.2016	71,6	65,0
26.04.2016	71,6	65,0
27.04.2016	71,6	65,0
28.04.2016	71,6	65,0
29.04.2016	71,6	65,0
30.04.2016	71,5	65,0
01.05.2016	71,8	65,0
02.05.2016	71,5	65,0
03.05.2016	71,7	65,0
04.05.2016	71,5	65,0
05.05.2016	71,9	65,0
06.05.2016	71,7	65,0
07.05.2016	71,5	65,0
08.05.2016	71,5	65,0
09.05.2016	71,5	65,0
10.05.2016	71,5	65,0
11.05.2016	71,4	65,0
12.05.2016	71,4	65,0
13.05.2016	71,6	65,0
14.05.2016	71,5	65,0
15.05.2016	71,5	65,0
16.05.2016	71,8	65,0
17.05.2016	71,5	65,0
18.05.2016	71,6	65,0
19.05.2016	71,8	65,0
20.05.2016	71,6	65,0
21.05.2016	71,5	65,0
22.05.2016	71,5	65,0
23.05.2016	71,6	65,0
24.05.2016	71,8	65,0
25.05.2016	71,8	65,0
26.05.2016	71,8	65,0
27.05.2016	71,8	65,0
28.05.2016	71,8	65,0
29.05.2016	72,0	65,0
30.05.2016	68,3	65,0
31.05.2016	69,7	65,0
01.06.2016	73,9	65,0
02.06.2016	75,8	65,0
03.06.2016	76,3	65,0
04.06.2016	75,7	65,0
05.06.2016	72,8	65,0
06.06.2016	71,2	65,0
07.06.2016	71,9	65,0
08.06.2016	74,2	65,0
09.06.2016	72,6	65,0
10.06.2016	72,9	65,0
11.06.2016	74,1	65,0
12.06.2016	72,0	65,0
13.06.2016	74,9	65,0
14.06.2016	74,6	65,0
15.06.2016	73,2	65,0
16.06.2016	70,8	65,0
17.06.2016	73,0	65,0
18.06.2016	73,9	65,0
19.06.2016	74,0	65,0
20.06.2016	76,4	65,0
21.06.2016	73,3	65,0
22.06.2016	71,5	65,0
23.06.2016	71,8	65,0
24.06.2016	71,5	65,0
25.06.2016	71,5	65,0
26.06.2016	71,8	65,0
27.06.2016	71,7	65,0
28.06.2016	71,5	65,0
29.06.2016	71,8	65,0
30.06.2016	71,5	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
01.07.2016	71,4	65,0
02.07.2016	71,5	65,0
03.07.2016	71,6	65,0
04.07.2016	71,8	65,0
05.07.2016	71,5	65,0
06.07.2016	71,5	65,0
07.07.2016	71,5	65,0
08.07.2016	71,5	65,0
09.07.2016	71,5	65,0
10.07.2016	71,5	65,0
11.07.2016	71,5	65,0
12.07.2016	71,5	65,0
13.07.2016	71,5	65,0
14.07.2016	71,7	65,0
15.07.2016	71,6	65,0
16.07.2016	71,5	65,0
17.07.2016	71,6	65,0
18.07.2016	71,8	65,0
19.07.2016	71,5	65,0
20.07.2016	71,5	65,0
21.07.2016	71,5	65,0
22.07.2016	71,5	65,0
23.07.2016	71,5	65,0
24.07.2016	71,5	65,0
25.07.2016	71,5	65,0
26.07.2016	71,5	65,0
27.07.2016	71,5	65,0
28.07.2016	71,5	65,0
29.07.2016	71,5	65,0
30.07.2016	71,5	65,0
31.07.2016	71,5	65,0
01.08.2016	71,5	65,0
02.08.2016	71,5	65,0
03.08.2016	71,7	65,0
04.08.2016	71,8	65,0
05.08.2016	71,8	65,0
06.08.2016	71,5	65,0
07.08.2016	71,5	65,0
08.08.2016	71,5	65,0
09.08.2016	71,5	65,0
10.08.2016	71,8	65,0
11.08.2016	71,8	65,0
12.08.2016	71,8	65,0
13.08.2016	71,8	65,0
14.08.2016	71,8	65,0
15.08.2016	71,9	65,0
16.08.2016	71,9	65,0
17.08.2016	71,9	65,0
18.08.2016	71,8	65,0
19.08.2016	71,8	65,0
20.08.2016	71,8	65,0
21.08.2016	71,8	65,0
22.08.2016	72,5	65,0
23.08.2016	79,0	65,0
24.08.2016	76,8	65,0
25.08.2016	80,2	65,0
26.08.2016	83,3	65,0
27.08.2016	83,2	65,0
28.08.2016	80,1	65,0
29.08.2016	79,9	65,0
30.08.2016	79,8	65,0
31.08.2016	80,7	65,0
01.09.2016	80,7	65,0
02.09.2016	82,3	65,0
03.09.2016	81,3	65,0
04.09.2016	84,4	65,0
05.09.2016	82,9	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
06.09.2016	81,1	65,0
07.09.2016	81,9	65,0
08.09.2016	82,1	65,0
09.09.2016	83,5	65,0
10.09.2016	83,7	65,0
11.09.2016	82,5	65,0
12.09.2016	82,0	65,0
13.09.2016	81,6	65,0
14.09.2016	80,2	65,0
15.09.2016	80,4	65,0
16.09.2016	81,4	65,0
17.09.2016	82,8	65,0
18.09.2016	81,2	65,0
19.09.2016	78,8	65,0
20.09.2016	73,8	65,0
21.09.2016	78,3	65,0
22.09.2016	79,8	65,0
23.09.2016	79,4	65,0
24.09.2016	79,8	65,0
25.09.2016	79,8	65,0
26.09.2016	79,8	65,0
27.09.2016	79,6	65,0
28.09.2016	80,3	65,0
29.09.2016	81,3	65,0
30.09.2016	81,2	65,0
01.10.2016	81,7	65,0
02.10.2016	81,4	65,0
03.10.2016	79,6	65,0
04.10.2016	79,3	65,0
05.10.2016	76,1	65,0
06.10.2016	74,6	65,0
07.10.2016	74,7	65,0
08.10.2016	77,4	65,0
09.10.2016	80,0	65,0
10.10.2016	77,7	65,0
11.10.2016	79,8	65,0
12.10.2016	80,5	65,0
13.10.2016	79,5	65,0
14.10.2016	79,3	65,0
15.10.2016	81,7	65,0
16.10.2016	81,7	65,0
17.10.2016	80,3	65,0
18.10.2016	79,5	65,0
19.10.2016	81,5	65,0
20.10.2016	81,8	65,0
21.10.2016	81,8	65,0
22.10.2016	81,6	65,0
23.10.2016	81,3	65,0
24.10.2016	81,2	65,0
25.10.2016	81,1	65,0
26.10.2016	80,2	65,0
27.10.2016	81,4	65,0
28.10.2016	81,4	65,0
29.10.2016	80,1	65,0
30.10.2016	79,9	65,0
31.10.2016	80,2	65,0
01.11.2016	81,8	65,0
02.11.2016	81,8	65,0
03.11.2016	81,1	65,0
04.11.2016	81,1	65,0
05.11.2016	81,2	65,0
06.11.2016	81,8	65,0
07.11.2016	81,0	65,0
08.11.2016	81,0	65,0
09.11.2016	81,4	65,0
10.11.2016	81,5	65,0
11.11.2016	81,8	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
12.11.2016	81,9	65,0
13.11.2016	82,0	65,0
14.11.2016	81,5	65,0
15.11.2016	81,8	65,0
16.11.2016	81,8	65,0
17.11.2016	81,6	65,0
18.11.2016	81,7	65,0
19.11.2016	80,8	65,0
20.11.2016	80,2	65,0
21.11.2016	81,7	65,0
22.11.2016	81,6	65,0
23.11.2016	80,0	65,0
24.11.2016	80,5	65,0
25.11.2016	80,9	65,0
26.11.2016	80,7	65,0
27.11.2016	80,9	65,0
28.11.2016	81,5	65,0
29.11.2016	81,9	65,0
30.11.2016	81,9	65,0
01.12.2016	81,6	65,0
02.12.2016	80,7	65,0
03.12.2016	79,9	65,0
04.12.2016	78,8	65,0
05.12.2016	81,2	65,0
06.12.2016	81,8	65,0
07.12.2016	80,9	65,0
08.12.2016	81,0	65,0
09.12.2016	80,8	65,0
10.12.2016	81,5	65,0
11.12.2016	81,5	65,0
12.12.2016	80,6	65,0
13.12.2016	79,0	65,0
14.12.2016	80,1	65,0
15.12.2016	79,2	65,0
16.12.2016	80,5	65,0
17.12.2016	81,8	65,0
18.12.2016	81,8	65,0
19.12.2016	81,8	65,0
20.12.2016	81,5	65,0
21.12.2016	79,1	65,0
22.12.2016	79,5	65,0
23.12.2016	80,4	65,0
24.12.2016	81,3	65,0
25.12.2016	81,4	65,0
26.12.2016	81,7	65,0
27.12.2016	81,2	65,0
28.12.2016	71,3	65,0
29.12.2016	69,9	65,0
30.12.2016	69,8	65,0
31.12.2016	69,9	65,0
01.01.2017	67,8	65,0
02.01.2017	67,7	65,0
03.01.2017	67,8	65,0
04.01.2017	67,8	65,0
05.01.2017	69,9	65,0
06.01.2017	70,0	65,0
07.01.2017	66,6	65,0
08.01.2017	64,9	65,0
09.01.2017	66,6	65,0
10.01.2017	69,2	65,0
11.01.2017	69,9	65,0
12.01.2017	70,1	65,0
13.01.2017	69,8	65,0
14.01.2017	69,9	65,0
15.01.2017	69,9	65,0
16.01.2017	69,9	65,0
17.01.2017	70,0	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
18.01.2017	69,8	65,0
19.01.2017	70,0	65,0
20.01.2017	69,9	65,0
21.01.2017	69,9	65,0
22.01.2017	69,9	65,0
23.01.2017	70,1	65,0
24.01.2017	69,9	65,0
25.01.2017	69,9	65,0
26.01.2017	70,1	65,0
27.01.2017	69,8	65,0
28.01.2017	69,8	65,0
29.01.2017	69,7	65,0
30.01.2017	69,6	65,0
31.01.2017	69,5	65,0
01.02.2017	70,4	65,0
02.02.2017	71,8	65,0
03.02.2017	71,8	65,0
04.02.2017	71,6	65,0
05.02.2017	71,5	65,0
06.02.2017	71,6	65,0
07.02.2017	71,6	65,0
08.02.2017	71,6	65,0
09.02.2017	71,8	65,0
10.02.2017	71,7	65,0
11.02.2017	71,6	65,0
12.02.2017	71,6	65,0
13.02.2017	71,6	65,0
14.02.2017	71,6	65,0
15.02.2017	71,6	65,0
16.02.2017	71,4	65,0
17.02.2017	71,4	65,0
18.02.2017	71,5	65,0
19.02.2017	71,5	65,0
20.02.2017	71,4	65,0
21.02.2017	71,4	65,0
22.02.2017	71,4	65,0
23.02.2017	71,4	65,0
24.02.2017	71,5	65,0
25.02.2017	71,5	65,0
26.02.2017	71,5	65,0
27.02.2017	71,4	65,0
28.02.2017	71,4	65,0
01.03.2017	71,4	65,0
02.03.2017	71,4	65,0
03.03.2017	71,4	65,0
04.03.2017	71,4	65,0
05.03.2017	71,4	65,0
06.03.2017	71,4	65,0
07.03.2017	71,4	65,0
08.03.2017	71,4	65,0
09.03.2017	71,5	65,0
10.03.2017	71,5	65,0
11.03.2017	71,5	65,0
12.03.2017	71,5	65,0
13.03.2017	74,7	65,0
14.03.2017	77,2	65,0
15.03.2017	77,4	65,0
16.03.2017	77,3	65,0
17.03.2017	77,1	65,0
18.03.2017	77,1	65,0
19.03.2017	77,3	65,0
20.03.2017	77,3	65,0
21.03.2017	77,3	65,0
22.03.2017	77,3	65,0
23.03.2017	77,4	65,0
24.03.2017	77,4	65,0
25.03.2017	77,4	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
26.03.2017	77,4	65,0
27.03.2017	77,3	65,0
28.03.2017	77,4	65,0
29.03.2017	77,1	65,0
30.03.2017	77,1	65,0
31.03.2017	77,2	65,0
01.04.2017	77,0	65,0
02.04.2017	77,1	65,0
03.04.2017	77,3	65,0
04.04.2017	77,4	65,0
05.04.2017	77,3	65,0
06.04.2017	77,2	65,0
07.04.2017	77,2	65,0
08.04.2017	77,1	65,0
09.04.2017	77,3	65,0
10.04.2017	77,1	65,0
11.04.2017	77,1	65,0
12.04.2017	77,1	65,0
13.04.2017	77,1	65,0
14.04.2017	77,1	65,0
15.04.2017	77,3	65,0
16.04.2017	77,1	65,0
17.04.2017	77,1	65,0
18.04.2017	77,1	65,0
19.04.2017	77,2	65,0
20.04.2017	77,3	65,0
21.04.2017	77,4	65,0
22.04.2017	77,3	65,0
23.04.2017	77,4	65,0
24.04.2017	77,3	65,0
25.04.2017	77,4	65,0
26.04.2017	77,4	65,0
27.04.2017	77,4	65,0
28.04.2017	77,4	65,0
29.04.2017	77,4	65,0
30.04.2017	77,4	65,0
01.05.2017	77,4	65,0
02.05.2017	77,4	65,0
03.05.2017	77,1	65,0
04.05.2017	77,3	65,0
05.05.2017	77,2	65,0
06.05.2017	77,3	65,0
07.05.2017	77,4	65,0
08.05.2017	77,4	65,0
09.05.2017	77,4	65,0
10.05.2017	77,4	65,0
11.05.2017	77,3	65,0
12.05.2017	77,3	65,0
13.05.2017	77,3	65,0
14.05.2017	77,4	65,0
15.05.2017	77,3	65,0
16.05.2017	36,8	65,0
17.05.2017	28,6	65,0
18.05.2017	42,3	65,0
19.05.2017	77,3	65,0
20.05.2017	77,5	65,0
21.05.2017	77,4	65,0
22.05.2017	77,3	65,0
23.05.2017	77,4	65,0
24.05.2017	77,5	65,0
25.05.2017	77,4	65,0
26.05.2017	77,4	65,0
27.05.2017	77,4	65,0
28.05.2017	77,4	65,0
29.05.2017	77,4	65,0
30.05.2017	77,3	65,0
31.05.2017	77,4	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
01.06.2017	77,1	65,0
02.06.2017	77,4	65,0
03.06.2017	77,0	65,0
04.06.2017	77,0	65,0
05.06.2017	77,0	65,0
06.06.2017	77,0	65,0
07.06.2017	73,8	65,0
08.06.2017	73,8	65,0
09.06.2017	74,8	65,0
10.06.2017	74,9	65,0
11.06.2017	74,9	65,0
12.06.2017	74,9	65,0
13.06.2017	75,5	65,0
14.06.2017	77,0	65,0
15.06.2017	77,6	65,0
16.06.2017	77,6	65,0
17.06.2017	77,6	65,0
18.06.2017	77,6	65,0
19.06.2017	77,4	65,0
20.06.2017	77,6	65,0
21.06.2017	77,2	65,0
22.06.2017	76,4	65,0
23.06.2017	76,0	65,0
24.06.2017	77,6	65,0
25.06.2017	77,4	65,0
26.06.2017	77,5	65,0
27.06.2017	77,6	65,0
28.06.2017	77,6	65,0
29.06.2017	77,5	65,0
30.06.2017	77,4	65,0
01.07.2017	77,5	65,0
02.07.2017	77,5	65,0
03.07.2017	77,5	65,0
04.07.2017	77,5	65,0
05.07.2017	77,6	65,0
06.07.2017	77,6	65,0
07.07.2017	77,5	65,0
08.07.2017	77,5	65,0
09.07.2017	77,5	65,0
10.07.2017	77,5	65,0
11.07.2017	77,5	65,0
12.07.2017	77,5	65,0
13.07.2017	77,5	65,0
14.07.2017	77,6	65,0
15.07.2017	77,5	65,0
16.07.2017	77,5	65,0
17.07.2017	77,5	65,0
18.07.2017	77,5	65,0
19.07.2017	77,6	65,0
20.07.2017	77,6	65,0
21.07.2017	77,6	65,0
22.07.2017	77,6	65,0
23.07.2017	77,6	65,0
24.07.2017	77,6	65,0
25.07.2017	77,6	65,0
26.07.2017	77,6	65,0
27.07.2017	77,6	65,0
28.07.2017	77,6	65,0
29.07.2017	77,6	65,0
30.07.2017	77,6	65,0
31.07.2017	77,6	65,0
01.08.2017	77,2	65,0
02.08.2017	77,7	65,0
03.08.2017	76,4	65,0
04.08.2017	73,9	65,0
05.08.2017	73,9	65,0
06.08.2017	73,9	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
07.08.2017	73,9	65,0
08.08.2017	73,9	65,0
09.08.2017	73,9	65,0
10.08.2017	73,9	65,0
11.08.2017	73,9	65,0
12.08.2017	73,9	65,0
13.08.2017	73,9	65,0
14.08.2017	73,9	65,0
15.08.2017	73,9	65,0
16.08.2017	73,8	65,0
17.08.2017	73,8	65,0
18.08.2017	73,9	65,0
19.08.2017	73,8	65,0
20.08.2017	73,8	65,0
21.08.2017	73,8	65,0
22.08.2017	73,7	65,0
23.08.2017	73,7	65,0
24.08.2017	73,7	65,0
25.08.2017	73,7	65,0
26.08.2017	73,7	65,0
27.08.2017	73,7	65,0
28.08.2017	73,6	65,0
29.08.2017	73,5	65,0
30.08.2017	73,7	65,0
31.08.2017	73,7	65,0
01.09.2017	73,7	65,0
02.09.2017	73,7	65,0
03.09.2017	73,7	65,0
04.09.2017	73,7	65,0
05.09.2017	73,7	65,0
06.09.2017	73,7	65,0
07.09.2017	73,7	65,0
08.09.2017	73,7	65,0
09.09.2017	73,7	65,0
10.09.2017	73,7	65,0
11.09.2017	73,7	65,0
12.09.2017	73,7	65,0
13.09.2017	73,7	65,0
14.09.2017	73,7	65,0
15.09.2017	73,7	65,0
16.09.2017	73,7	65,0
17.09.2017	73,7	65,0
18.09.2017	73,7	65,0
19.09.2017	73,7	65,0
20.09.2017	73,7	65,0
21.09.2017	73,5	65,0
22.09.2017	72,5	65,0
23.09.2017	71,5	65,0
24.09.2017	71,7	65,0
25.09.2017	72,7	65,0
26.09.2017	71,7	65,0
27.09.2017	69,9	65,0
28.09.2017	67,9	65,0
29.09.2017	67,7	65,0
30.09.2017	67,7	65,0
01.10.2017	67,6	65,0
02.10.2017	66,5	65,0
03.10.2017	65,5	65,0
04.10.2017	65,7	65,0
05.10.2017	66,3	65,0
06.10.2017	66,3	65,0
07.10.2017	61,8	65,0
08.10.2017	61,5	65,0
09.10.2017	63,4	65,0
10.10.2017	64,0	65,0
11.10.2017	64,3	65,0
12.10.2017	66,1	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
13.10.2017	66,3	65,0
14.10.2017	66,2	65,0
15.10.2017	67,5	65,0
16.10.2017	67,7	65,0
17.10.2017	67,6	65,0
18.10.2017	66,4	65,0
19.10.2017	65,7	65,0
20.10.2017	64,3	65,0
21.10.2017	63,9	65,0
22.10.2017	64,6	65,0
23.10.2017	64,0	65,0
24.10.2017	63,7	65,0
25.10.2017	63,7	65,0
26.10.2017	63,7	65,0
27.10.2017	63,7	65,0
28.10.2017	63,7	65,0
29.10.2017	63,7	65,0
30.10.2017	63,7	65,0
31.10.2017	63,2	65,0
01.11.2017	62,7	65,0
02.11.2017	64,7	65,0
03.11.2017	65,3	65,0
04.11.2017	66,3	65,0
05.11.2017	66,3	65,0
06.11.2017	66,3	65,0
07.11.2017	66,2	65,0
08.11.2017	66,3	65,0
09.11.2017	66,3	65,0
10.11.2017	66,3	65,0
11.11.2017	66,2	65,0
12.11.2017	66,2	65,0
13.11.2017	66,1	65,0
14.11.2017	66,1	65,0
15.11.2017	66,3	65,0
16.11.2017	66,4	65,0
17.11.2017	66,4	65,0
18.11.2017	66,3	65,0
19.11.2017	66,3	65,0
20.11.2017	66,3	65,0
21.11.2017	66,3	65,0
22.11.2017	66,3	65,0
23.11.2017	66,4	65,0
24.11.2017	66,2	65,0
25.11.2017	66,3	65,0
26.11.2017	66,3	65,0
27.11.2017	65,8	65,0
28.11.2017	66,0	65,0
29.11.2017	64,9	65,0
30.11.2017	64,7	65,0
01.12.2017	64,7	65,0
02.12.2017	64,7	65,0
03.12.2017	64,7	65,0
04.12.2017	65,3	65,0
05.12.2017	64,8	65,0
06.12.2017	64,5	65,0
07.12.2017	65,7	65,0
08.12.2017	66,2	65,0
09.12.2017	66,3	65,0
10.12.2017	67,3	65,0
11.12.2017	66,4	65,0
12.12.2017	66,6	65,0
13.12.2017	66,4	65,0
14.12.2017	66,3	65,0
15.12.2017	65,8	65,0
16.12.2017	65,7	65,0
17.12.2017	65,7	65,0
18.12.2017	66,3	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
19.12.2017	66,3	65,0
20.12.2017	66,3	65,0
21.12.2017	66,3	65,0
22.12.2017	66,2	65,0
23.12.2017	66,3	65,0
24.12.2017	66,3	65,0
25.12.2017	66,1	65,0
26.12.2017	66,3	65,0
27.12.2017	66,2	65,0
28.12.2017	66,3	65,0
29.12.2017	66,3	65,0
30.12.2017	66,3	65,0
31.12.2017	66,4	65,0
01.01.2018	66,3	65,0
02.01.2018	66,3	65,0
03.01.2018	66,3	65,0
04.01.2018	65,0	65,0
05.01.2018	64,7	65,0
06.01.2018	64,7	65,0
07.01.2018	64,6	65,0
08.01.2018	64,7	65,0
09.01.2018	64,7	65,0
10.01.2018	66,3	65,0
11.01.2018	66,9	65,0
12.01.2018	66,7	65,0
13.01.2018	68,1	65,0
14.01.2018	67,9	65,0
15.01.2018	67,4	65,0
16.01.2018	67,7	65,0
17.01.2018	67,7	65,0
18.01.2018	67,8	65,0
19.01.2018	67,7	65,0
20.01.2018	67,5	65,0
21.01.2018	67,7	65,0
22.01.2018	67,7	65,0
23.01.2018	67,7	65,0
24.01.2018	67,8	65,0
25.01.2018	67,5	65,0
26.01.2018	67,7	65,0
27.01.2018	67,8	65,0
28.01.2018	67,8	65,0
29.01.2018	67,8	65,0
30.01.2018	67,7	65,0
31.01.2018	67,7	65,0
01.02.2018	67,7	65,0
02.02.2018	67,6	65,0
03.02.2018	67,7	65,0
04.02.2018	67,7	65,0
05.02.2018	67,7	65,0
06.02.2018	67,8	65,0
07.02.2018	67,8	65,0
08.02.2018	67,8	65,0
09.02.2018	69,0	65,0
10.02.2018	69,7	65,0
11.02.2018	67,7	65,0
12.02.2018	68,2	65,0
13.02.2018	68,8	65,0
14.02.2018	68,8	65,0
15.02.2018	68,8	65,0
16.02.2018	68,8	65,0
17.02.2018	68,7	65,0
18.02.2018	68,5	65,0
19.02.2018	68,8	65,0
20.02.2018	69,6	65,0
21.02.2018	69,7	65,0
22.02.2018	69,8	65,0
23.02.2018	69,7	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
24.02.2018	69,8	65,0
25.02.2018	69,7	65,0
26.02.2018	67,0	65,0
27.02.2018	64,7	65,0
28.02.2018	64,7	65,0
01.03.2018	64,7	65,0
02.03.2018	64,7	65,0
03.03.2018	64,5	65,0
04.03.2018	64,6	65,0
05.03.2018	64,7	65,0
06.03.2018	64,7	65,0
07.03.2018	64,7	65,0
08.03.2018	64,7	65,0
09.03.2018	64,7	65,0
10.03.2018	65,9	65,0
11.03.2018	65,0	65,0
12.03.2018	64,7	65,0
13.03.2018	65,1	65,0
14.03.2018	65,2	65,0
15.03.2018	67,5	65,0
16.03.2018	67,6	65,0
17.03.2018	67,6	65,0
18.03.2018	67,7	65,0
19.03.2018	67,6	65,0
20.03.2018	67,5	65,0
21.03.2018	67,7	65,0
22.03.2018	67,7	65,0
23.03.2018	67,7	65,0
24.03.2018	67,7	65,0
25.03.2018	67,7	65,0
26.03.2018	67,7	65,0
27.03.2018	67,5	65,0
28.03.2018	67,6	65,0
29.03.2018	67,7	65,0
30.03.2018	67,7	65,0
31.03.2018	67,7	65,0
01.04.2018	67,6	65,0
02.04.2018	67,7	65,0
03.04.2018	67,7	65,0
04.04.2018	67,8	65,0
05.04.2018	67,8	65,0
06.04.2018	67,5	65,0
07.04.2018	67,7	65,0
08.04.2018	68,5	65,0
09.04.2018	69,8	65,0
10.04.2018	69,3	65,0
11.04.2018	69,3	65,0
12.04.2018	66,4	65,0
13.04.2018	65,7	65,0
14.04.2018	65,7	65,0
15.04.2018	65,7	65,0
16.04.2018	65,6	65,0
17.04.2018	66,3	65,0
18.04.2018	67,7	65,0
19.04.2018	67,7	65,0
20.04.2018	66,0	65,0
21.04.2018	65,7	65,0
22.04.2018	65,7	65,0
23.04.2018	65,5	65,0
24.04.2018	65,4	65,0
25.04.2018	65,5	65,0
26.04.2018	65,4	65,0
27.04.2018	63,9	65,0
28.04.2018	63,7	65,0
29.04.2018	66,5	65,0
30.04.2018	69,8	65,0
01.05.2018	66,1	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
02.05.2018	62,5	65,0
03.05.2018	64,0	65,0
04.05.2018	63,7	65,0
05.05.2018	63,7	65,0
06.05.2018	63,7	65,0
07.05.2018	63,8	65,0
08.05.2018	64,0	65,0
09.05.2018	65,3	65,0
10.05.2018	65,6	65,0
11.05.2018	64,0	65,0
12.05.2018	63,7	65,0
13.05.2018	63,7	65,0
14.05.2018	63,6	65,0
15.05.2018	63,7	65,0
16.05.2018	63,7	65,0
17.05.2018	68,0	65,0
18.05.2018	65,9	65,0
19.05.2018	66,3	65,0
20.05.2018	66,3	65,0
21.05.2018	66,3	65,0
22.05.2018	63,7	65,0
23.05.2018	65,7	65,0
24.05.2018	65,7	65,0
25.05.2018	65,7	65,0
26.05.2018	65,7	65,0
27.05.2018	65,7	65,0
28.05.2018	65,7	65,0
29.05.2018	65,8	65,0
30.05.2018	65,8	65,0
31.05.2018	65,8	65,0
01.06.2018	65,2	65,0
02.06.2018	65,8	65,0
03.06.2018	65,8	65,0
04.06.2018	66,3	65,0
05.06.2018	66,0	65,0
06.06.2018	65,8	65,0
07.06.2018	65,8	65,0
08.06.2018	63,8	65,0
09.06.2018	64,8	65,0
10.06.2018	64,8	65,0
11.06.2018	64,8	65,0
12.06.2018	64,0	65,0
13.06.2018	65,4	65,0
14.06.2018	64,8	65,0
15.06.2018	64,8	65,0
16.06.2018	64,8	65,0
17.06.2018	64,8	65,0
18.06.2018	64,8	65,0
19.06.2018	64,8	65,0
20.06.2018	64,8	65,0
21.06.2018	64,8	65,0
22.06.2018	64,8	65,0
23.06.2018	64,8	65,0
24.06.2018	64,8	65,0
25.06.2018	64,8	65,0
26.06.2018	64,8	65,0
27.06.2018	65,7	65,0
28.06.2018	65,7	65,0
29.06.2018	66,0	65,0
30.06.2018	66,4	65,0
01.07.2018	66,4	65,0
02.07.2018	66,3	65,0
03.07.2018	65,8	65,0
04.07.2018	65,8	65,0
05.07.2018	65,7	65,0
06.07.2018	65,8	65,0
07.07.2018	65,8	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
08.07.2018	65,8	65,0
09.07.2018	67,1	65,0
10.07.2018	66,6	65,0
11.07.2018	67,0	65,0
12.07.2018	66,3	65,0
13.07.2018	66,4	65,0
14.07.2018	64,8	65,0
15.07.2018	64,2	65,0
16.07.2018	64,5	65,0
17.07.2018	65,5	65,0
18.07.2018	66,4	65,0
19.07.2018	66,4	65,0
20.07.2018	66,4	65,0
21.07.2018	66,3	65,0
22.07.2018	66,0	65,0
23.07.2018	66,2	65,0
24.07.2018	66,4	65,0
25.07.2018	66,4	65,0
26.07.2018	66,1	65,0
27.07.2018	66,0	65,0
28.07.2018	66,0	65,0
29.07.2018	66,0	65,0
30.07.2018	66,3	65,0
31.07.2018	66,0	65,0
01.08.2018	66,0	65,0
02.08.2018	65,9	65,0
03.08.2018	65,3	65,0
04.08.2018	63,3	65,0
05.08.2018	62,7	65,0
06.08.2018	62,3	65,0
07.08.2018	63,8	65,0
08.08.2018	63,8	65,0
09.08.2018	63,8	65,0
10.08.2018	65,4	65,0
11.08.2018	66,4	65,0
12.08.2018	66,4	65,0
13.08.2018	66,4	65,0
14.08.2018	66,4	65,0
15.08.2018	64,1	65,0
16.08.2018	63,8	65,0
17.08.2018	63,8	65,0
18.08.2018	63,9	65,0
19.08.2018	64,9	65,0
20.08.2018	64,5	65,0
21.08.2018	64,8	65,0
22.08.2018	64,8	65,0
23.08.2018	64,0	65,0
24.08.2018	63,8	65,0
25.08.2018	65,1	65,0
26.08.2018	64,8	65,0
27.08.2018	64,4	65,0
28.08.2018	64,8	65,0
29.08.2018	64,8	65,0
30.08.2018	64,8	65,0
31.08.2018	64,8	65,0
01.09.2018	63,3	65,0
02.09.2018	63,8	65,0
03.09.2018	63,8	65,0
04.09.2018	63,8	65,0
05.09.2018	64,2	65,0
06.09.2018	64,7	65,0
07.09.2018	64,8	65,0
08.09.2018	64,9	65,0
09.09.2018	64,8	65,0
10.09.2018	66,6	65,0
11.09.2018	66,7	65,0
12.09.2018	66,5	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
13.09.2018	66,4	65,0
14.09.2018	66,4	65,0
15.09.2018	68,2	65,0
16.09.2018	66,4	65,0
17.09.2018	66,4	65,0
18.09.2018	66,4	65,0
19.09.2018	66,4	65,0
20.09.2018	66,4	65,0
21.09.2018	66,4	65,0
22.09.2018	67,2	65,0
23.09.2018	67,7	65,0
24.09.2018	66,9	65,0
25.09.2018	66,9	65,0
26.09.2018	67,0	65,0
27.09.2018	67,7	65,0
28.09.2018	67,8	65,0
29.09.2018	67,8	65,0
30.09.2018	67,2	65,0
01.10.2018	68,8	65,0
02.10.2018	66,6	65,0
03.10.2018	66,2	65,0
04.10.2018	66,7	65,0
05.10.2018	67,6	65,0
06.10.2018	67,8	65,0
07.10.2018	67,7	65,0
08.10.2018	66,4	65,0
09.10.2018	66,4	65,0
10.10.2018	70,5	65,0
11.10.2018	68,8	65,0
12.10.2018	66,5	65,0
13.10.2018	68,5	65,0
14.10.2018	67,8	65,0
15.10.2018	67,7	65,0
16.10.2018	67,6	65,0
17.10.2018	65,2	65,0
18.10.2018	66,0	65,0
19.10.2018	67,1	65,0
20.10.2018	67,6	65,0
21.10.2018	67,6	65,0
22.10.2018	67,6	65,0
23.10.2018	67,6	65,0
24.10.2018	67,6	65,0
25.10.2018	67,5	65,0
26.10.2018	67,6	65,0
27.10.2018	64,8	65,0
28.10.2018	64,6	65,0
29.10.2018	64,6	65,0
30.10.2018	65,7	65,0
31.10.2018	66,3	65,0
01.11.2018	66,2	65,0
02.11.2018	66,3	65,0
03.11.2018	66,2	65,0
04.11.2018	66,3	65,0
05.11.2018	66,2	65,0
06.11.2018	66,1	65,0
07.11.2018	66,0	65,0
08.11.2018	66,1	65,0
09.11.2018	63,7	65,0
10.11.2018	64,7	65,0
11.11.2018	66,2	65,0
12.11.2018	66,1	65,0
13.11.2018	66,0	65,0
14.11.2018	66,1	65,0
15.11.2018	66,0	65,0
16.11.2018	65,2	65,0
17.11.2018	64,5	65,0
18.11.2018	63,8	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
19.11.2018	65,6	65,0
20.11.2018	65,6	65,0
21.11.2018	65,6	65,0
22.11.2018	65,7	65,0
23.11.2018	65,3	65,0
24.11.2018	66,2	65,0
25.11.2018	66,3	65,0
26.11.2018	66,2	65,0
27.11.2018	66,2	65,0
28.11.2018	66,2	65,0
29.11.2018	64,2	65,0
30.11.2018	64,6	65,0
01.12.2018	64,8	65,0
02.12.2018	65,0	65,0
03.12.2018	66,0	65,0
04.12.2018	66,1	65,0
05.12.2018	66,1	65,0
06.12.2018	66,0	65,0
07.12.2018	66,3	65,0
08.12.2018	66,2	65,0
09.12.2018	66,3	65,0
10.12.2018	64,8	65,0
11.12.2018	66,4	65,0
12.12.2018	66,6	65,0
13.12.2018	67,5	65,0
14.12.2018	67,6	65,0
15.12.2018	67,7	65,0
16.12.2018	67,7	65,0
17.12.2018	67,7	65,0
18.12.2018	67,6	65,0
19.12.2018	67,5	65,0
20.12.2018	67,6	65,0
21.12.2018	67,4	65,0
22.12.2018	69,4	65,0
23.12.2018	69,4	65,0
24.12.2018	69,7	65,0
25.12.2018	69,7	65,0
26.12.2018	69,7	65,0
27.12.2018	69,7	65,0
28.12.2018	69,7	65,0
29.12.2018	69,7	65,0
30.12.2018	69,7	65,0
31.12.2018	69,9	65,0
01.01.2019	69,7	65,0
02.01.2019	69,8	65,0
03.01.2019	69,8	65,0
04.01.2019	69,7	65,0
05.01.2019	69,8	65,0
06.01.2019	69,8	65,0
07.01.2019	69,8	65,0
08.01.2019	69,8	65,0
09.01.2019	69,8	65,0
10.01.2019	69,8	65,0
11.01.2019	69,8	65,0
12.01.2019	69,8	65,0
13.01.2019	69,8	65,0
14.01.2019	68,8	65,0
15.01.2019	67,8	65,0
16.01.2019	67,7	65,0
17.01.2019	67,8	65,0
18.01.2019	67,8	65,0
19.01.2019	67,8	65,0
20.01.2019	67,8	65,0
21.01.2019	67,7	65,0
22.01.2019	67,8	65,0
23.01.2019	69,8	65,0
24.01.2019	69,8	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
25.01.2019	69,8	65,0
26.01.2019	69,8	65,0
27.01.2019	69,7	65,0
28.01.2019	69,8	65,0
29.01.2019	69,7	65,0
30.01.2019	69,7	65,0
31.01.2019	69,4	65,0
01.02.2019	68,6	65,0
02.02.2019	68,4	65,0
03.02.2019	68,4	65,0
04.02.2019	68,3	65,0
05.02.2019	69,2	65,0
06.02.2019	68,2	65,0
07.02.2019	68,2	65,0
08.02.2019	68,0	65,0
09.02.2019	67,9	65,0
10.02.2019	67,9	65,0
11.02.2019	67,8	65,0
12.02.2019	67,9	65,0
13.02.2019	69,4	65,0
14.02.2019	69,4	65,0
15.02.2019	69,4	65,0
16.02.2019	69,4	65,0
17.02.2019	69,4	65,0
18.02.2019	69,4	65,0
19.02.2019	69,4	65,0
20.02.2019	69,4	65,0
21.02.2019	69,4	65,0
22.02.2019	69,3	65,0
23.02.2019	69,4	65,0
24.02.2019	69,4	65,0
25.02.2019	69,4	65,0
26.02.2019	69,4	65,0
27.02.2019	69,6	65,0
28.02.2019	69,5	65,0
01.03.2019	69,4	65,0
02.03.2019	69,4	65,0
03.03.2019	69,4	65,0
04.03.2019	69,4	65,0
05.03.2019	69,3	65,0
06.03.2019	69,4	65,0
07.03.2019	69,7	65,0
08.03.2019	69,8	65,0
09.03.2019	69,8	65,0
10.03.2019	69,8	65,0
11.03.2019	69,8	65,0
12.03.2019	69,8	65,0
13.03.2019	69,8	65,0
14.03.2019	69,4	65,0
15.03.2019	69,8	65,0
16.03.2019	69,8	65,0
17.03.2019	69,8	65,0
18.03.2019	69,8	65,0
19.03.2019	69,8	65,0
20.03.2019	69,8	65,0
21.03.2019	69,7	65,0
22.03.2019	69,8	65,0
23.03.2019	69,7	65,0
24.03.2019	69,4	65,0
25.03.2019	69,4	65,0
26.03.2019	69,4	65,0
27.03.2019	69,4	65,0
28.03.2019	69,4	65,0
29.03.2019	70,2	65,0
30.03.2019	71,3	65,0
31.03.2019	70,9	65,0
01.04.2019	68,9	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
02.04.2019	68,8	65,0
03.04.2019	69,6	65,0
04.04.2019	69,8	65,0
05.04.2019	69,8	65,0
06.04.2019	69,8	65,0
07.04.2019	69,6	65,0
08.04.2019	69,6	65,0
09.04.2019	69,4	65,0
10.04.2019	69,4	65,0
11.04.2019	69,5	65,0
12.04.2019	69,2	65,0
13.04.2019	68,7	65,0
14.04.2019	68,1	65,0
15.04.2019	68,7	65,0
16.04.2019	70,8	65,0
17.04.2019	71,6	65,0
18.04.2019	71,8	65,0
19.04.2019	71,8	65,0
20.04.2019	71,8	65,0
21.04.2019	71,5	65,0
22.04.2019	71,2	65,0
23.04.2019	71,5	65,0
24.04.2019	69,6	65,0
25.04.2019	69,8	65,0
26.04.2019	69,8	65,0
27.04.2019	69,8	65,0
28.04.2019	69,8	65,0
29.04.2019	69,8	65,0
30.04.2019	69,8	65,0
01.05.2019	69,8	65,0
02.05.2019	69,8	65,0
03.05.2019	68,9	65,0
04.05.2019	68,8	65,0
05.05.2019	68,2	65,0
06.05.2019	68,8	65,0
07.05.2019	71,7	65,0
08.05.2019	71,1	65,0
09.05.2019	70,8	65,0
10.05.2019	69,8	65,0
11.05.2019	69,8	65,0
12.05.2019	69,8	65,0
13.05.2019	69,8	65,0
14.05.2019	69,8	65,0
15.05.2019	69,8	65,0
16.05.2019	69,8	65,0
17.05.2019	69,8	65,0
18.05.2019	69,8	65,0
19.05.2019	69,8	65,0
20.05.2019	69,8	65,0
21.05.2019	69,4	65,0
22.05.2019	69,7	65,0
23.05.2019	69,8	65,0
24.05.2019	69,8	65,0
25.05.2019	67,8	65,0
26.05.2019	66,8	65,0
27.05.2019	66,8	65,0
28.05.2019	66,8	65,0
29.05.2019	67,7	65,0
30.05.2019	69,1	65,0
31.05.2019	69,3	65,0
01.06.2019	69,3	65,0
02.06.2019	68,1	65,0
03.06.2019	23,4	65,0
04.06.2019	53,4	65,0
05.06.2019	63,7	65,0
06.06.2019	63,7	65,0
07.06.2019	63,7	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
08.06.2019	63,7	65,0
09.06.2019	69,7	65,0
10.06.2019	69,6	65,0
11.06.2019	69,2	65,0
12.06.2019	68,6	65,0
13.06.2019	68,5	65,0
14.06.2019	66,3	65,0
15.06.2019	66,2	65,0
16.06.2019	66,2	65,0
17.06.2019	66,2	65,0
18.06.2019	66,2	65,0
19.06.2019	66,2	65,0
20.06.2019	66,2	65,0
21.06.2019	67,6	65,0
22.06.2019	67,7	65,0
23.06.2019	67,7	65,0
24.06.2019	67,7	65,0
25.06.2019	67,7	65,0
26.06.2019	67,7	65,0
27.06.2019	67,6	65,0
28.06.2019	67,7	65,0
29.06.2019	67,5	65,0
30.06.2019	67,7	65,0
01.07.2019	67,7	65,0
02.07.2019	64,8	65,0
03.07.2019	66,3	65,0
04.07.2019	69,7	65,0
05.07.2019	69,8	65,0
06.07.2019	69,4	65,0
07.07.2019	68,7	65,0
08.07.2019	69,4	65,0
09.07.2019	68,5	65,0
10.07.2019	70,8	65,0
11.07.2019	73,1	65,0
12.07.2019	69,7	65,0
13.07.2019	69,9	65,0
14.07.2019	69,7	65,0
15.07.2019	69,7	65,0
16.07.2019	69,7	65,0
17.07.2019	69,7	65,0
18.07.2019	69,8	65,0
19.07.2019	69,8	65,0
20.07.2019	69,8	65,0
21.07.2019	69,7	65,0
22.07.2019	69,7	65,0
23.07.2019	69,8	65,0
24.07.2019	69,8	65,0
25.07.2019	69,8	65,0
26.07.2019	69,8	65,0
27.07.2019	69,8	65,0
28.07.2019	69,8	65,0
29.07.2019	69,8	65,0
30.07.2019	69,7	65,0
31.07.2019	69,7	65,0
01.08.2019	68,4	65,0
02.08.2019	65,0	65,0
03.08.2019	63,4	65,0
04.08.2019	67,6	65,0
05.08.2019	65,7	65,0
06.08.2019	68,7	65,0
07.08.2019	64,8	65,0
08.08.2019	64,5	65,0
09.08.2019	64,2	65,0
10.08.2019	64,0	65,0
11.08.2019	64,1	65,0
12.08.2019	64,2	65,0
13.08.2019	64,2	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
14.08.2019	66,3	65,0
15.08.2019	66,3	65,0
16.08.2019	65,7	65,0
17.08.2019	66,3	65,0
18.08.2019	65,7	65,0
19.08.2019	65,7	65,0
20.08.2019	65,7	65,0
21.08.2019	65,7	65,0
22.08.2019	70,4	65,0
23.08.2019	66,4	65,0
24.08.2019	66,4	65,0
25.08.2019	66,5	65,0
26.08.2019	66,6	65,0
27.08.2019	66,4	65,0
28.08.2019	66,3	65,0
29.08.2019	66,2	65,0
30.08.2019	66,0	65,0
31.08.2019	66,3	65,0
01.09.2019	66,1	65,0
02.09.2019	66,4	65,0
03.09.2019	66,4	65,0
04.09.2019	66,4	65,0
05.09.2019	66,4	65,0
06.09.2019	66,4	65,0
07.09.2019	66,4	65,0
08.09.2019	66,4	65,0
09.09.2019	66,4	65,0
10.09.2019	66,4	65,0
11.09.2019	66,3	65,0
12.09.2019	66,3	65,0
13.09.2019	66,2	65,0
14.09.2019	69,6	65,0
15.09.2019	69,6	65,0
16.09.2019	73,7	65,0
17.09.2019	78,4	65,0
18.09.2019	74,6	65,0
19.09.2019	79,0	65,0
20.09.2019	75,5	65,0
21.09.2019	75,5	65,0
22.09.2019	76,3	65,0
23.09.2019	78,7	65,0
24.09.2019	78,7	65,0
25.09.2019	76,8	65,0
26.09.2019	75,8	65,0
27.09.2019	76,8	65,0
28.09.2019	76,5	65,0
29.09.2019	76,5	65,0
30.09.2019	76,5	65,0
01.10.2019	76,5	65,0
02.10.2019	77,4	65,0
03.10.2019	78,1	65,0
04.10.2019	75,6	65,0
05.10.2019	75,3	65,0
06.10.2019	75,3	65,0
07.10.2019	75,3	65,0
08.10.2019	75,3	65,0
09.10.2019	75,4	65,0
10.10.2019	75,5	65,0
11.10.2019	74,9	65,0
12.10.2019	75,7	65,0
13.10.2019	76,4	65,0
14.10.2019	77,4	65,0
15.10.2019	74,6	65,0
16.10.2019	76,9	65,0
17.10.2019	77,1	65,0
18.10.2019	76,5	65,0
19.10.2019	76,8	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
20.10.2019	77,1	65,0
21.10.2019	76,9	65,0
22.10.2019	77,2	65,0
23.10.2019	76,7	65,0
24.10.2019	76,6	65,0
25.10.2019	78,0	65,0
26.10.2019	79,0	65,0
27.10.2019	77,2	65,0
28.10.2019	77,2	65,0
29.10.2019	76,5	65,0
30.10.2019	77,8	65,0
31.10.2019	78,3	65,0
01.11.2019	75,6	65,0
02.11.2019	75,6	65,0
03.11.2019	75,6	65,0
04.11.2019	76,5	65,0
05.11.2019	74,5	65,0
06.11.2019	75,9	65,0
07.11.2019	76,6	65,0
08.11.2019	76,6	65,0
09.11.2019	76,6	65,0
10.11.2019	76,5	65,0
11.11.2019	76,6	65,0
12.11.2019	77,3	65,0
13.11.2019	77,0	65,0
14.11.2019	75,8	65,0
15.11.2019	78,0	65,0
16.11.2019	77,1	65,0
17.11.2019	76,7	65,0
18.11.2019	77,3	65,0
19.11.2019	73,2	65,0
20.11.2019	70,6	65,0
21.11.2019	70,7	65,0
22.11.2019	70,6	65,0
23.11.2019	70,6	65,0
24.11.2019	70,6	65,0
25.11.2019	71,2	65,0
26.11.2019	71,6	65,0
27.11.2019	71,6	65,0
28.11.2019	71,6	65,0
29.11.2019	73,3	65,0
30.11.2019	72,2	65,0
01.12.2019	70,1	65,0
02.12.2019	69,4	65,0
03.12.2019	73,6	65,0
04.12.2019	73,6	65,0
05.12.2019	72,4	65,0
06.12.2019	72,2	65,0
07.12.2019	73,2	65,0
08.12.2019	75,6	65,0
09.12.2019	75,2	65,0
10.12.2019	73,1	65,0
11.12.2019	71,7	65,0
12.12.2019	71,7	65,0
13.12.2019	72,0	65,0
14.12.2019	71,9	65,0
15.12.2019	72,0	65,0
16.12.2019	73,4	65,0
17.12.2019	72,9	65,0
18.12.2019	72,5	65,0
19.12.2019	72,7	65,0
20.12.2019	73,7	65,0
21.12.2019	75,5	65,0
22.12.2019	75,6	65,0
23.12.2019	75,6	65,0
24.12.2019	79,0	65,0
25.12.2019	78,6	65,0

Datum	Eingangsdruck FGL 301 in bar (ü)	Grenzwert in bar (ü)
26.12.2019	79,2	65,0
27.12.2019	79,1	65,0
28.12.2019	78,5	65,0
29.12.2019	78,1	65,0
30.12.2019	78,1	65,0
31.12.2019	78,1	65,0